

PACKING LIST

Type	Packing Method	Carton Size L x W x H cm	QTY/CTN PCS	Approx. N.W. kg	Approx. G.W. kg	Stacking Layers Limit n	
HFKA (Single)*	tube	50pcs/tube	45 x 21 x 19	3000	12	14.6	6
HFKA (Single)	tape	240pcs/reel	43 x 43 x 26	1200	4.8	9.3	5
HFKA (Twin)*	tube	23pcs/tube	45 x 21 x 19	1380	11	13.6	6
HFKA (Twin)	tape	170pcs/reel	43 x 43 x 26	850	6.8	11.3	5
HFKC (Single)*	tube	25pcs/tube	42 x 19 x 19	2000	8	11.2	6
HFKC (Single)	tape	240pcs/reel	43 x 43 x 26	1200	4.8	9.7	5
HFKF(Single)*	tube	50pcs/tube	44 x 25 x 16	3000	9.3	12.8	6
HFKF (Single)	tape	240pcs/reel	43 x 43 x 26	1200	3.7	8.2	5
HFKF(Twin)*	tube	25pcs/tube	44 x 25 x 16	1500	9.3	12.8	6
HFKF (Twin)	tape	170pcs/reel	43 x 43 x 26	850	5.3	9.8	5
HFKJ (Twin)*	tube	25pcs/tube	44 x 25 x 16	1500	9.3	12.8	6
HFKJ (Twin)	tape	240pcs/reel	43 x 43 x 26	1200	7.8	12.3	5
HFKM (Plastic sealed)	tube	20pcs/tube	37 x 28 x 19	1200	12	14	5
HFKT/HFKT-L*	tube	30pcs/tube	56 x 21 x 17	1200	13.2	15.9	6
HFKT/HFKT-L	tape	120pcs/reel	43 x 43 x 31	600	6.6	12.1	5
HFKP (Plastic sealed)	tray	50pcs/tray	35 x 29 x 23	300	6.3	7.9	5
HFKW*	tube	25pcs/tube	37 x 32 x 14	1500	8.3	10.6	6
HFKW	tape	200pcs/reel	43 x 43 x 26	1000	5.5	10	5
HFK7*	tube	50pcs/tube	52 x 21 x 12	2500	11	13.7	7
HFK7	tape	240pcs/reel	43 x 43 x 26	1200	5.3	9.8	5
HFK8*	tube	50pcs/tube	62 x 21 x 11	2000	12.4	15.3	7
HFK8	tape	170pcs/reel	43 x 43 x 26	850	5.4	10	5
HFK9*	tube	40pcs/tube	59 x 15 x 13	1200	12	14.3	7
HFK9	tape	140pcs/reel	43 x 43 x 26	700	7	11.6	5
HFK10*	tube	30pcs/tube	56 x 21 x 17	1200	15	17	5
HFK10	tape	140pcs/reel	43 x 43 x 31	700	10	14.6	5
HFV4/HFV4N(1 type)	tray	60pcs/tray	35 x 23 x 23	300	9	10	5
HFV4(3,5 type)	tray	24pcs/tray	35 x 23 x 23	120	3.9	4.9	5
HFV4/HFV4N(4. 6 type)	tray	40pcs/tray	35 x 23 x 23	240	10.8	11.8	5
HFV6/HFV6-G*	tray	120pcs/tray	35 x 23 x 23	600	12	13	5
HFV6/HFV6-G...(136)/HFV6V	tray	250pcs/tray	44 x 26 x 12	500	10	11	7



HONGFA RELAY

ISO9001, ISO/TS16949, ISO14001, OHSAS18001, IECQ QC 080000 CERTIFIED

2020 Rev. 1.00

PACKING LIST

Type	Packing Method		Carton Size L x W x H cm	QTY/CTN PCS	Approx. N.W. kg	Approx. G.W. kg	Stacking Layers Limit n
HFV6/HFV6-G	tube	23pcs/tube	61 x 20 x 18	690	13.8	16.8	5
HFV7/HFV7-P*	tray	60pcs/tray	35 x 23 x 23	300	9.6	10.6	5
HFV7(4 type)	tray	40pcs/tray	35 x 23 x 23	240	8.4	9.4	5
HFV7(6 type)	tray	35pcs/tray	35 x 29 x 24	175	6.3	8.4	5
HFV7	tube	19pcs/tube	58 x 19 x 24	380	12.2	14.9	6
HFV7-P	tube	19pcs/tube	58 x 19 x 19	380	11	13.5	6
HFV9/HFV9-G	tray	120pcs/tray	35 x 23 x 23	600	12	13	5
HFV9/HFV9-G	tube	23pcs/tube	61 x 20 x 18	690	13.8	16.8	6
HFV9-G(3、5 type)	tray	24pcs/tray	35 x 23 x 23	120	3.9	4.9	5
HFV11*	tray	160pcs/tray	35 x 23 x 23	960	10	11	5
HFV11	tube	34pcs/tube	61 x 20 x 18	1360	14.3	18.8	5
HFV12	tray	8pcs/tray	35 x 29 x 24	40	8	10	6
HFV15/HFV15-P(1 type)*	tray	60pcs/tray	35 x 23 x 23	300	8.4	9.4	5
HFV15/HFV15-P(4 type)	tray	40pcs/tray	35 x 23 x 23	240	7.7	8.7	5
HFV15N/HFV15-SH/HFV15-L (1 type)	tray	60pcs/tray	35 x 23 x 23	300	9	10	5
HFV15(3、5 type)	tray	24pcs/tray	35 x 23 x 23	120	3.9	4.9	5
HFV16/HFV16-P/HFV16-L (1 type)*	tray	60pcs/tray	35 x 23 x 23	300	9	10	5
HFV16/HFV16-P/HFV16-L (4 type)	tray	40pcs/tray	35 x 23 x 23	240	7.7	8.7	5
HFV15/HFV16(1 type)	tube	20pcs/tube	61 x 20 x 18	300	9.5	12.5	6
HF3501	tray	30pcs/tray	35 x 29 x 24	180	7.2	8.7	6
HF3501A(Shroud)	tray	25pcs/tray	35 x 29 x 24	150	6.3	7.8	6
HF3502	tube	30pcs/tray	35 x 29 x 24	180	6.3	7.8	6
HF3503/HF3508	tray	35pcs/tray	35 x 29 x 24	210	8.4	9.9	6
HF3508A	tray	25pcs/tray	35 x 29 x 24	150	6	7.5	6
HF3504/3507	tray	30pcs/tray	35 x 29 x 24	180	6.9	8.4	6
HF3605	tray	12pcs/tray	40 x 32 x 22	60	5	7	6
HF3606	tray	30pcs/tray	35 x 29 x 24	180	6.5	8.4	6
HF3615	tray	30pcs/tray	56 x 38 x 32	90	11.9	13.8	5
HF3628	tray	35pcs/tray	35 x 29 x 24	210	8	9.4	6



HONGFA RELAY
ISO9001, ISO/TS16949, ISO14001, OHSAS18001, IECQ QC 080000 CERTIFIED

PACKING LIST

Type	Packing Method		Carton Size L x W x H cm	QTY/CTN PCS	Approx. N.W. kg	Approx. G.W. kg	Stacking Layers Limit n
HF3631	tray	50pcs/tray	35 x 29 x 24	500	3.8	5.2	6
HF3633	tray	40pcs/tray	35 x 29 x 21	200	6.6	8.3	6

Notes:1)*** is the recommended packing specification;

2)This above list is the typical packing specification. Specifications and dimensions in this catalog are subject to change without notice.



HONGFA RELAY

ISO9001, ISO/TS16949, ISO14001, OHSAS18001, IECQ QC 080000 CERTIFIED